


# **ANNEXURE - V**




महाराष्ट्र MAHARASHTRA

2022



48AA 443876



**UNDERTAKING**

I Dr/Mr/Mrs, Wasudeo Mahedeorao Lanje age...72.. Years resident of at Pragati Colony, Sendurwafa .Sakoli ,Bandara,pin 441802 would like to submit the following undertaking-

6 JUL 2023

I am lifetime President of the trust named "Abhinav Shikshan Sanstha Occurred for President of trust.

1. "Geetai Nursing College" (B.SC Nursing) is established and managed by 'Abhinav Shikshan Sanstha , Sendurwafa, Tq.Sakoli,Bhandara, 441802

3.Parvati Nursing Home is Manged, by "Abhinav Shikshan Sanstha.' .... at Pragati colony Sendurwafa, Tq.Sakoli,Bhandara, 441802 distance 2 Km. from 'Geetai Nursing College" ( B.SC Nursing New Pragati Colony, Sendurwafa Tq.Sakoli,Bhandara, 441802

अध्यक्ष  
अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987 (B.)

दस्तावे प्रकार/अनुच्छेद क्रमांक महाराष्ट्र  
मुद्रांक विकत घेणा-याचे नाव व पत्ता अभिनव शिक्षण संस्था, सकोली, भंडारा  
हस्ते असल्यास त्यांचे नाव व पत्ता अभिनव शिक्षण संस्था, सकोली, भंडारा  
मुद्रांक शुल्क रक्कम १०० / मुद्रांक विक्री नंबर वही अ.क्र. ११३४  
दिनांक १३/११/२३ / मुद्रांक विकत घेणा-याची मूळी १३/११/२३

प्रकाश मा. राजेंत  
मुद्रांक विक्री, तहसिल कार्यालय परिसर, साकोली  
प. क्र. ०३/१६ लॉ. क्र. ४७०३००३  
कारणमाती ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणासाठी  
कारणमाती केल्यापासून ६ महिन्यात बापरणी बंधनकारक आहे.


4. My Hospital would continue to function as "Parent Hospital" of this college named "Geetai Nursing College" New Pragati Colony, Sendurwafa Tq.Sakoli, Bhandara, 441802 For B.Sc Nursing(4year) managed by the "Abhinav Shikshan Sanstha for life time.

5. I would not allow the hospital to be treated as "Parent Hospital" to any other nursing institute /college in future

Date :- Sakoli  
Place : 03.11.23

अध्यक्ष  
अभिनव शिक्षण संस्था सेंदुरवाफा (Wasudeo Mahedeorao Lanje)  
राज. नं. F-5987 (B.)

Chairman



Executed & Signed Before Me  
03.11.23  
ADV. A. P. PARSHURAMKAR  
NOTARY  
REGD. NO. 997  
LAKHANDUR/SAKOLI  
DIST. BHANDARA

Notarial Reg.  
Entry No 1015....  
Date 03.11.23.



महाराष्ट्र शासन  
आरोग्य सेवा  
जिल्हा शल्य चिकित्सक  
जिल्हारुग्णालय भंडारा

सन १९४९ च्या दिव्याम्बेनसिंगहोभ्मरजिस्ट्रेशनअॅक्टच्या कलम ५ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट  
Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949  
(नियम ५ अन्वये) (Under Rule 5)

जा.क्र./जि.रु.भं/बॉनरअॅ/नोप्र/ ३६६१ /२०२५  
जिल्हा शल्य चिकित्सक कार्यालय, भंडारा  
दिनांक :- 5 MAR 2025

This is to certify that Dr. Wasudeo Mahadcorao Lanje has been registered under the Bombay Nursing Homes registration Act, 1949 in respect of Parvati Nursing Home situated at Pragati Colony, Sendurwafa, Tah. Sakoli Dist Bhandara and has been authorized to carry on the said Nursing Home.

रजिस्ट्रेशनक्र. :- DHB/BNHA/04/19	प्रसुतिसाठी	कॉट्स १५
Registration No- DHB/BNHA/04/19	Maternity	Cots 15
रजिस्ट्रेशनदि. :- २५.०७.२०१९	इतररुग्णांसाठी	कॉट्स ८५
Date of Registration:- 25/07/2019	Other Nursing Patients	Cots 85
Date of Renewal :- 05/03/202६		Total Cots 100

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate 05 March 2025

सदरचे सर्टिफिकेट दिनांक ३१ मार्च २०२८ पर्यंत कार्यवाहीत राहिल.

This Certificate shall be valid up to 31st March 2028

ठिकाण :- भंडारा

Place :- Bhandara

Seal



  
जिल्हा शल्यचिकित्सक  
जिल्हारुग्णालय भंडारा



State Pollution Control Board  
महाराष्ट्र प्रदूषण नियंत्रण मंडळ

# SUPERB HYGIENIC DISPOSALS

C/O Mr. Bande, 8A, Damodhar Colony,  
Near Surendra Nagar Basketball Ground, NAGPUR - 440010  
Phone No:9922941639  
Email Id:info@superbgroup.in



**SUPERB**

Unique Registration No.: SKHP0009



## Registration Certificate



Outward No.: SHD/23-24/000772

Date: 22-Aug-2023

This is to certify that **PARVATI NURSING HOME, SAKOLI , 9 , PRAGATI COLONY , SENDURWAF, T.SAKOLI, BHANDARA-441802** is registered with SUPERB HYGIENIC DISPOSALS, NAGPUR for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE (Name and Designation)	DR..WASUDEO M. LANJE
2. Bombay Nursing Home Act Registration Details	
a. BNH Registration Number	DHB/BNHA/04/19
b. BNH Issue Date	25-Jul-2019
c. Total Number of Beds	100
d. BNH Validity(Form 'C')	31-Mar-2025
3. Common Treatment Facility Registration Details	
a. Date of Registration	31-Aug-2015
b. No. of Beds Registered	100
c. Registration Validity	31-Dec-2023
4. Renewal of CTF Membership(if applicable)	
a. Renewal Date	31-Dec-2023
b. No. of Beds Registered	100
5. MPCB Consent (Establish/ 1 <sup>st</sup> Operate/Renewal) Details	
a. Consent/ CCA Number	RO-NAGPUR/BMW_AUTH/2012000227
b. Issue Date	18-Dec-2020
d. Validity up to	30-Nov-2023

अध्यक्ष

अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987 (B.)

*(Signature)*

For SUPERB HYGIENIC DISPOSALS

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

C/o Mr. Bande, 8A, Damodhar Colony, Near Surendra Nagar Basketball Ground, Nagpur  
Of: 99229 41639 | 99229 11658 | www.superbgroup.in | info@superbgroup.in

## ANNUAL STATEMENT

1. Particulars of the applicant: Dr. Wasudeo M. Lanje, Parvati Nursing Home, Sendurwafa, Sakoli. (BMW Memb.No. SKHP0009) 100 Beded

- i) Name of the institution: Parvati Nursing Home,  
ii) Address: Sendurwafa, Sakoli.  
Tel. No.:

2. Categories of waste generated and quantity on a monthly average basis:

Cat. No. 1 – 5 Kg., 3 – 4 Kg., 4 - 10 Kg., 5 – 1 Kg., 6 – 30 Kg., 7 – 25 Kg.,

3. Brief details of the treatment facility: done by service provider.

In case of off-site facility: ---

- i) Name of the operator: M/s. Superb Hygienic Disposals, Nagpur  
ii) Name and address of the facility: Plot No. 133, Mauja Bhandewadi, Nagpur Tel. No. 9922941639,

4. Category-wise quantity of waste treated:

- 1) Human Anatomical Waste (Yellow) 25 Kg (1) Non-Chlorinated Bags  
2) Microbiological & Bio- (Yellow) 48 Kg (3) ----||----FACILITY PROVIDED  
Technological Waste BY CBMWTF  
3) Waste Sharp (Blue/White) 120 Kg (4) ----||----  
4) Discarded Medicine (Yellow) 12 Kg (5) ----||----  
5) Solid Waste (Yellow) 360 Kg (6) ----||----  
6) Solid Waste (Red) 300 Kg (7) ----||----M/S. SUPERB HYGIENIC  
7) Liquid Waste NA (8) ----||---- DISPOSALS, NAGPUR  
8) Chemical Waste NA (10) ----||----

5. Mode of treatment with details: Incineration, Autoclave, Shredder and Chemical Treatment.

6. Any other information:

7. Certificate that the above report is for the period from 1<sup>st</sup> January 22 to 31<sup>st</sup> December 22.

Date: 22/08/2023

Signature:

*AR Lanje*

Place: Nagpur

Designation: Manager,  
Superb Hygienic Disposals,  
Nagpur.



*AR Lanje*  
अध्यक्ष  
अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987 (B.)

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308  
Fax: 0712 - 2560851  
Website: <http://mpcb.gov.in>  
Email: [ronagpur@mpcb.gov.in](mailto:ronagpur@mpcb.gov.in)



Udyog Bhavan , 5th floor ,  
Near Sales Tax Office, Civil  
Line , Nagpur - 440 001

ORANGE/S.S.I

Date: 29/01/2024

No:- Format1.0/RO/UAN No.0000189100/CO/2401002872

To,  
M/s. Parvati Nursing Home.,  
Plot No. 9, Pragati Colony, Sendurwafa, Tq. Sakoli Dist.  
Bhandara.  
Email: [wmlanje@yahoo.co.in](mailto:wmlanje@yahoo.co.in)  
Contact No.: 9422131482



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

**Ref:** Bio-Medical Waste Authorization granted by the Board vide no. RO-Nagpur/BMW\_Auth/2012000227 dtd 18/12/2020.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The consent is granted for a period up to :- 30/11/2027.
2. The capital investment of the HCF is ₹162.00 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 584.37 M<sup>2</sup> with Built-up area 325.86 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : 100 Nos.
    - I. General Beds : 40 Nos
    - II. Psychiatry Beds : 30 Nos
    - III. Maternity Beds : 30 Nos
5. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 5 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
  3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

*Handwritten signature*  
अध्यक्ष

अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987(B.)

**6. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
  11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
  12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
  13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



*[Handwritten Signature]*

6c431853  
82a84126  
2a43313d  
fa07ac09  
f20a47c4  
0c5a5009  
1b286079  
70dad52b

Signed by: Hema Deshpande  
Regional Officer  
For and on behalf of,  
Maharashtra Pollution Control Board  
ronagpur@mpcb.gov.in  
2024-01-29 18:49:25 IST

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	45000.00	TXN2311004259	29/11/2023	Online Payment
2	90000.00	TXN2401000519	03/01/2024	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Bhandara
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

*[Handwritten Signature]*  
अध्यक्ष  
अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987 (B.)

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	1.00
2.	Domestic purpose	3.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1.5	As per clause 'C'	Septic Tank Soak Pit.
2	Trade effluent	0.5	As per clause 'C'	On Land for Gardening in Hospital Premises.

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.


Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

## D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

## E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

## F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

## G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

  
 अध्यक्ष  
 अभिनव शिक्षण संस्था सेंदुरवाफा  
 रजि. नं. F-5987 (B)

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

*[Handwritten Signature]*

अध्यक्ष

अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987 (B.)

## Responsibilities of CBWTF

## SCHEDULE-II

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

*[Handwritten Signature]*

अध्यक्ष

अभिनव शिक्षण संस्था सेंटर/काफा  
रजि. नं. F-5987 (B)

**General Conditions**

**The following general conditions shall apply:-**


1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.


14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---

  
अध्यक्ष  
अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987 (B.)




महाराष्ट्र MAHARASHTRA

© 2024 ©

40AB 378310

7 MAY 2025



Sd/-  
Sub Treasury Officer  
SAKOLI

This Memorandum of understanding is made on this  
BETWEEN

College of Nursing

Geetal Nursing College Sendurwafa/ Sakoli

Herecalled Party No. 1 AND

Kelkar Manas And Vyasan Mukti Kendra, Subhash nagar road, Nagpur

Herecalled Party No. 2

- The philosophy behind the establishment of college name Geetai Nursing College Sendurwafa, Sakoli is to educate train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them developing skill their professional function & to include right type of professional attitude. them to the professional group of them to the social for training the health, professional

दस्तावे प्रकार/अनुच्छेद क्रमांक महाराष्ट्र

मुद्रांक विकत घेणा-ग्राचे नाव व पत्ता सवित्रा शिफन' अंबवा' अंबवा

हस्त अमल्यास त्यांचे नाव व पत्ता सवित्रा शिफन

मुद्रांक शुल्क रक्कम १०० /मुद्रांक विकत नं. वही अ.क्र. २४७९६

दिनांक १५/१२/२०२१ /मुद्रांक विकत घेणा-ग्राची सही [Signature]


प्रकाश मा. राऊत

मुद्रांक विक्रेता, तहसिल कार्यालय परिसर, साकोली  
प. क्र. ७३/१८ तालि. को. क्र. ४७०३००३

या कारणासाठी ज्यांचे मुद्रांक खरेदी केले त्यांनी त्याच कारणासाठी  
मुद्रांक खरेदी केल्यापासून ६ महिन्यात वापरणे बंधनकारक आहे.

rehabilitation of individual family and community, especially in rural and remote areas of our country.

- The part No. 1 executed this agreement by Dr. Wasudeo Mahadeorao Lanje. President of Abhinav Shikshan Sanstha, Sendurwafa Ta. Sakoli Dist. Bhandara, age 74 years residing of Sendurwafa Sakoli. Dist. Bhandara.
- The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various psychiatric facilities in the city of Nagpur.
- The Party No. 2 executed this agreement through its Party No. 2 Name - Now therefore both the parties 1 and 2 agree for : - THAT Party No. 1 is applying for Nursing course of Maharashtra University of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai. - THAT Party No. 2 is having 30 bedded psychiatric hospital with more than 75% Occupancy. - THAT Party No. 1 has requested to Party No. 2 for providing their hospital for
- clinical experience and practical Training of Nursing Students. - THAT Party No. 2 has agreed to provide their hospital For clinical experience of nursing students. - THAT Party No. 2 has agreed to provide the facility for 5 years from today onward it can be renewed after mutual agreement.



Place : - Nagpur

Date : -

*W. Wasudeo*

Dr. Wasudeo Mahadeorao Lanje,

President,

Abhinav Bhikshan Sanstha.

Sendurwafa, Tal. Sakoli Dist. Bhandara

अध्यक्ष

अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987 (3.)

*(A. Chinnabani)*

Dr. Adhay Chinnabani

M.B.B.S., MD (Psychiatry)

Regd. No. 379013

केळकर मानस हॉस्पिटल

व व्यसनमुक्ति केंद्र, नागपुर.

मो. 8888534716, 9096432169



Executed & Signed  
Before Me

*(Signature)*  
08.8.2025


ADV. A. P. PARSHURAMKAR

NOTARY

REGD. NO. 997

LOKHANPUR/SAKOLI

DIST. BHANDARA



Notarial Reg.  
Entry No 2213...  
Date 08.8.25



**MAHARASHTRA STATE MENTAL HEALTH AUTHORITY  
(MSMHA)**

**Form-F**

**[See rule 66]**

**CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL  
HEALTH ESTABLISHMENT**

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

**Name: - Dr. Abhaykumar Challani**

**Address: - Kelkar Manas And Vyasnmukti Kendra Subhash Nagar Road Near  
Anusaya Mangal Karyalay Nagpur**

**No of beds: -30**

**Permanent Registration Certificate No.97/2024**

The Permanent registration certificate No 97/2024 issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

**Place: Mumbai**

**Date: 14/02/2024**

  
Registration Authority

**Dr. Swapnil Dale**  
Chief Executive Officer  
State Mental Health  
Authority, Mumbai

Ref.: SHD/NGP/C0371/17

Date: 12/04/17

## CERTIFICATE

### To Whomsoever It May Concern

This is to certify that, M/s. Kelkar-Chhallani Manas Hospital and Deaddiction Center, (Memb.No.H00880) 20 Bedded of Dr. Abhay Chhallani located at Subhash Nagar Road, Behind Anusuya Mangal Karyalay, Nagpur is a regular member of Common Bio-Medical Waste Disposal services.

For, Superb Hygienic Disposals,



Authorised Signatory.

Note: This certificate is valid only with current month's payment slip.


AKS



● महाराष्ट्र MAHARASHTRA

○ 2022 ○

48AA 443931



Sud Treasury Officer  
SAKOLI

### MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this - October 2023

▲ 6 JUL 2023

BETWEEN

College of Nursing


Geetai Nursing College Sendurwafa / Sakoli

Hereafter called Party No. 1

AND

Citycare Hospital, Bhandara

Hereafter called Party No. 2



*[Signature]*  
अध्यक्ष  
अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987 (B)


दस्तावे प्रकार/अनुच्छेद क्रमांक मसु.०१०१०१  
मुद्रांक विकत घेणा-याचे नाव व पत्ता अभिनव शिक्षण संस्था, सकोली, महाराष्ट्र  
इसे अस्त्यास त्याचे नाव व पत्ता अभिनव शिक्षण संस्था, सकोली, महाराष्ट्र  
मुद्रांक शुल्क रक्कम १०० / मुद्रांक विक्री नोंद बर्ही अ.क्र. ५०१६  
दिनांक १६/१०/२०१३ / मुद्रांक विकत घेणा-याची सही

प्रकाश मा. राजत

मुद्रांक विक्रेता, महसिल कार्यालय परिसर, साकोली  
प. क्र. ०१/१८ लॉ. क्र. क्र. ४७०३००१  
कारणासाठी ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणासाठी  
मुद्रांक खरेदी केल्यापासून ६ महिन्यात वापरणे बंधनकारक आहे.

- 2 -


- Trust name **Abhinav. Shikshan Santha, Senduewafa Ta- Sakoli Dist- Bhandara**, with objective to spread & promote. Education for the girls of the rural and urban area of **Bhandara District**. Trust **Abhinav Shikshan Sanstha, Sendurwafa Ta- Sakoli- Dist- Bhandara**, intends to run college for nursing education ( Program name – **B. B. Sc. Nursing**), to be affiliated with **MUHS, Nashik** to provide nursing education and training to the students in the area.
- The Philosophy behind the establishment of college name **Geetai Nursing College Sendurwafa/Sakoli** is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skill in their professional function & to include right type of professional attitude I them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
- The part No. 1 executed this agreement by **Dr. Wasudeo Mahadeorao Lanje, Preident of Abhinav Shikshan Sanstha, Sendurwafa Ta- Sakoli Dist- Bhandara**, age **72 years** residing at **Sendurwafa / Sakoli, Dist – Bhandara**.
- The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of **Bhandara** and adjoining area by providing various medical facilities to the public at large.
- The Party No. 2 executed this agreement through its Party No. 02 Name  
Now therefore both the parties 1 and 2 agree for:
- THAT Party No. 1 is applying for **B. B. Sc. Nursing** course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.
- THAT Party No. 2 is having **50 bedded** hospitals with more than **75% Occupancy**.
- THAT Party No. 1 has requested to Party No. 2 for providing their hospital for clinical experience and practical Training of Nursing Students.
- THAT Party No. 2 has agreed to provide their hospital For clinical experience of nursing students.
- THAT Party No. 2 has agreed to provide the facility for years from today onward it can be renewed after mutual agreement.



अध्यक्ष  
अभिनव शिक्षण संस्था सॅ  
सजि. नं. F-5987

Place :- Bhandara

Date :-

  
Sign

Dr. Wasudeo Mahadeorao Lanje  
President

Abhinav Shikshan Sanstha,  
Sendurwafa Ta- Sakoli,  
Dist - Bhandara ,


Witness

1. .
- 2.




Sign

Citycare Multispeciality Hospital  
Add.: Takiya Ward, Nagpur Bypass  
Road, Bhandara. Ph.: 07124-252660  
Hospital Reg. No.- DNB/BNHA/014/014



Executed & Signed  
Before Me

  
03.11.2023  
ADV. A. P. PARSHURAMKAR  
NOTARY  
REGD. NO. 997  
LAKHANDUR/SAKOLI  
DIST. BHANDARA

Notarial Reg.  
Entry No 1018...  
Date 03.11.2023



  
अध्यक्ष

अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987 (2)



महाराष्ट्र शासन  
आरोग्य सेवा  
जिल्हा शल्य चिकित्सक  
जिल्हा रुग्णालय भंडारा

Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949  
(नियम ५ अन्वये) (Under Rule 5)

जा.क्र./जिरुभं/वॉनरअ/नोप्र/५१५४/२०२३  
जिल्हा शल्यचिकित्सक कार्यालय, भंडारा  
दिनांक :- - 3 APR 2023

This is to certify that Mr/Mrs. Dr. Manoj Jiwanfal Chauhan, Director has been registered under the Bombay Nursing Homes registration Act, 1949 in respect of Citycare Multispeciality Hospital situated at Takiya ward Nagpur bypass road, Bhandara and has been authorized to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. :- DHB/BNHA/014/14	प्रसूतिमाठी	कॉट्स ०५
Registration No :- DHB/BNHA/014/14	Maternity	Cots 05
रजिस्ट्रेशन दि.:- १५/०५/२०१४	इतर रुग्णांसाठी	कॉट्स ४५
Date of Registration:- 15/05/2014	Other Nursing Patients	Cots 45
Date of Renewal:- 03/04/2023	Total	Beds 50
Date of issue of Certificate:- 03 April 2023		

This Certificate shall be valid up to 31 st March 2026

ठिकाण :- भंडारा

Place :- Bhandara



*[Signature]*  
जिल्हा शल्य/चिकित्सक  
जिल्हा रुग्णालय भंडारा  
Civil Surgeon  
General Hospital, Bhandara.

E/: Hospital Renewal 2023

Citycare Multispeciality Hospital  
Add.: Takiya Ward, Nagpur Bypass  
Road, Bhandara. Ph.. 07184-252556  
Reg. No.- DHB/BNHA/014/014

*[Signature]*  
अध्यक्ष

अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987 (B.)

Unlque Registration No.: BHHP0077



## Registration Certificate





Outward No.: SHD/23-24/000122

Date: 27-Apr-2023

This is to certify that **CITY CARE MULTISPECIALITY HOSPITAL, BHANDARA, TAKIYA WARD NAGPUR BY PASS ROAD BHANDARA -440009** is registered with SUPERB HYGIENIC DISPOSALS, NAGPUR for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE (Name and Designation)	DR. MANOJ CHAVHAN
2. Bombay Nursing Home Act Registration Details	
a. BNH Registration Number	DHB/BNHA/014/14
b. BNH Issue Date	03-Apr-2023
c. Total Number of Beds	50
d. BNH Validity(Form 'C')	31-Mar-2026
3. Common Treatment Facility Registration Details	
a. Date of Registration	14-Jul-2017
b. No. of Beds Registered	50
c. Registration Validity	31-Dec-2023
4. Renewal of CTF Membership(if applicable)	
a. Renewal Date	31-Dec-2023
b. No. of Beds Registered	50
5. MPCB Consent (Establish/ 1 <sup>st</sup> Operate/Renewal) Details	
a. Consent/ CCA Number	FORMAT1.0/RO/UAN & 0000146161/CR/2301000409
b. Issue Date	03-Jan-2023
d. Validity up to	01-Dec-2027

  
अध्यक्ष  
अभिनव शिक्षण संस्था  
रुमि सं. २.३

  
For SUPERB HYGIENIC DISPOSALS

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

# ANNUAL STATEMENT

1. Particulars of the applicant: Dr. Manoj Chavhan, City Care Multispecialty Hospital, Bhandara. (BMW Memb.No. BHHP0077) 50 Beds.

- i) Name of the authorised person (Occupier)
- ii) Name of the institution: City Care Multispecialty Hospital.
- iii) Address: Takiya Ward, Bhandara.  
Tel. No.:  
Telex No.  
Fax No.

2. Categories of waste generated and quantity on a monthly average basis:

Cat. No. 1 (Yellow) – 5 Kg., 3 (Yellow) – 10 Kg., 4 (Blue + White) - 25 Kg.,  
5 (Yellow) – 2 Kg., 6 (Yellow) – 60 Kg., 7 (Red) – 40 Kg.,

3. Brief details of the treatment facility: done by service provider.

In case of off-site facility: ---

- i) Name of the operator: M/s. Superb Hygienic Disposals, Nagpur
- ii) Name and address of the facility: Plot No. 133, Mauja Bhandewadi, Nagpur Tel. No. 9922941639

4. Category-wise quantity of waste treated:

- 1) Human Anatomical Waste (Yellow) 60 Kg (1) Non-Chlorinated Bags
- 2) Microbiological & Bio-Technological Waste (Yellow) 120 Kg (3) ----||---- FACILITY PROVIDED BY CBMWTF
- 3) Waste Sharp (Blue/White) 300 Kg (4) ----||----
- 4) Discarded Medicine (Yellow) 24 Kg (5) ----||----
- 5) Solid Waste (Yellow) 720 Kg (6) ----||----
- 6) Solid Waste (Red) 480 Kg (7) ----||---- M/S. SUPERB HYGIENIC
- 7) Liquid Waste NA (8) ----||---- DISPOSALS, NAGPUR
- 8) Chemical Waste NA (10) ----||----

5. Mode of treatment with details: Incineration, Autoclave, Shredder and Chemical Treatment.

6. Any other information:


7. Certificate that the above report is for the period from 1<sup>st</sup> January 22 to 31<sup>st</sup> December 22.

Date: 28/04/2023

Signature:

Place: Nagpur

Designation: Manager,  
Superb Hygienic Disposals,  
Nagpur.



अध्यक्ष  
अभिनव शिक्षण संस्था सेंटरवाफा  
रजि. नं. ८

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308  
Fax: 0712 - 2560851  
Website: <http://mpcb.gov.in>  
Email: [ronagpur@mpcb.gov.in](mailto:ronagpur@mpcb.gov.in)



Udyog Bhavan , 6th floor ,  
Near Sales Tax Office, Civil  
Line , Nagpur - 440 001

Date: 03/01/2023

ORANGE/S.S.I  
No:- Format1.0/RO/UAN  
No.0000146161/CR/2301000409

To,  
M/s. Citycare Multispeciality Hospital,  
At, Takiya Ward, Nagpur Bypass Road, Bhandara Tq.  
& Dist. Bhandara.



Your Service is Our Duty

**Sub:** Application for grant of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

**Ref:** Bio-Medical Authorization granted by the Board vide no. RO-Nagpur/BMW\_Auth/1912000332 dtd 26/12/2019.

Combined Consent to Renewal and BMW Authorization.

For: Application for grant of Combined Consent to Operate and BMW Authorization (CCA) Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The Combined Consent to Renewal and BMW authorization is granted upto: 01.12.2027**
- The capital investment of the project is Rs.3.567 Crs. (As per C.A Certificate submitted by industry Existing-Rs. \_\_ Crs + Expansion/Increase in C.I. - Rs. \_\_ Crs).**
- The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	50	Nos
b)	Total Plot Area	418.00	Sq.Mtrs
c)	Total Built up Area	413.96	Sq.Mtrs

*M. L. ...*  
अध्यक्ष  
अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987 (B.1)

4. Conditions under Water (P&CP) Act, 1974 for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	1.0	As per Schedule -I	on land for gardening within HCE Premises
2.	Domestic effluent	0.5	As per Schedule -I	on land for gardening within HCE Premises

5. Conditions under the Air (P& CP) Act, 1981 for air emissions:

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	NA	0	NA

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Type of Waste	HW Category.	Quantity	UoM	Treatment	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	5	Kg/M	Land filling	CHWTSDF Butibori

7. Conditions about Non Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	NA	0.0	--NA--	NA	NA

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10.00	Yellow colored non-chlorinated plastic bags or containers	Sent to CBMWTSDF
		b) Chemical Waste	15.00		
		c) Microbiology Biotechnology and other clinical laboratory waste	5.00		
2	Red	Contaminated waste (Recyclable)	25.00	Red colored non chlorinated plastic bags or containers	Sent to CBMWTSDF
3	White (Translucent)	Waste sharps including Metals	22.00	Puncture proof, Leak proof, tamper proof container	Sent to CBMWTSDF


9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

  
**अध्यक्ष**  
**अभिनव शिक्षण संस्था सेंदुरवाफा**  
**रजि. नं. F-5987 (B.)**

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
  2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
  3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
  4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
  5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
  6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.
10. This consent is issued subject to conditions mentioned below:
- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
  - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
  - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
  - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website [www.cpcb.nic.in](http://www.cpcb.nic.in) dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?
  - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
  - f. You shall establish Bar code system within one year.
  - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
  - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
  - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
  - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
  - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

*[Handwritten Signature]*  
अध्यक्ष

अभिनव शिक्षण संस्था सेंटुरवाफा  
रजि. नं. F-5987(B.)



230e516e  
b3e35785  
ca08a03a  
efd8e46a  
2898d143  
fdc68894  
9e0b13b6  
001629a7

Signed by: Ashok M. Kare  
Regional Officer  
For and on behalf of,  
Maharashtra Pollution Control Board  
ronagpur@mpcb.gov.in  
2023-01-03 18:05:27 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	45000.00	TXN2208002001	18/08/2022	Online Payment
2	32055.00	TXN2301000270	03/01/2023	Online Payment
3	7500.00	TXN2208002385	23/08/2022	Online Payment

0

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Bhandara  
- They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai

अध्यक्ष

अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987 (B.)

## SCHEDULE-I

### Terms & conditions for compliance of Water Pollution Control:

1. A] Industrial effluent generation and details of the treatment installed. As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity 10 CMD.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C )	30 mg/l
(4)	Total Suspended Solids	100
(5)	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent


C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.

2. A] As per your consent application, you shall provide septic tank followed by soak pit for treatment of domestic sewage generated
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	Suspended Solid	Not to exceed	50 mg/l.
2	BOD	Not to exceed	30 mg/l.

C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

  
अध्यक्ष  
अभिनव शिक्षण संस्था नेंदवण  
रजि. नं. F-5

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	0.60
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

*[Signature]*  
अध्यक्ष  
अभिनव शिक्षण संस्था सेंदुरवाफा  
फ. नं. F-50

## SCHEDULE-II

### Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	5% SO <sub>2</sub>	
NA	NA NA	NA	NA	NA	0.0 --NA--	0.00	0.00

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

*M. K. Singh*  
अध्यक्ष  
अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987 (B.)

**SCHEDULE-III**  
**Details of Bank Guarantees:**

Sr. No.	Consent(C2E/C20/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	--	--	--	--	--	--

\*\* The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.  
# Existing BG obtained for above purpose if any may be extended for period of validity as above.

**Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:**

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	25000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	15000
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10000
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Six Month	25000
2	Effluent treatment plant not provided / need up gradation	Six Month	50000

**BG Forfeiture History**

Srno.	Consent (C2E/C20/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
1	--	--	--	--	--	--

**BG Return details**

Srno.	Consent (C2E/C20/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
1	--	--	--	--

*(Signature)*  
अध्यक्ष

अभिनव शिक्षण संस्था संदुरवाफा  
रजि. नं. F-5987 (B.)

## SCHEDULE-IV

### General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An Inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

अध्यक्ष

अमिनव शिक्षण संस्था सेंदुस्वाफा  
रजि. नं. F-5937 (B.)


Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.

14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

---

This certificate is digitally & electronically signed.

---


  
अध्यक्ष  
अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987(B.)



महाराष्ट्र MAHARASHTRA

2022

48AA 443930



**MEMORANDUM OF UNDERSTANDING**

This Memorandum of understanding is made on this - October 2023

6 JUL 2023

**BETWEEN**

College of Nursing

Geetai Nursing College Sendurwafa / Sakoli

Hereafter called Party No. 1

**AND**

Laksh Hospital Bhandara,

Hereafter called Party No. 2



*[Signature]*  
अध्यक्ष  
अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5897 (B.)

दस्तावेज प्रकार/अनुच्छेद क्रमांक CONTRIBUTION  
मुद्रांक विकत घेणा-याचे नाव व पत्ता काशीबाबा शिंदे शाखा  
हस्ते असल्यास त्यांचे नाव व पत्ता काशीबाबा शिंदे  
मुद्रांक शुल्क रक्कम १०० / मुद्रांक विक्री नोंद नही अ.क्र. ११०६  
दिनांक २४/१० / मुद्रांक विकत घेणा-याची सही काशीबाबा शिंदे

प्रकाश न. राजत

मुद्रांक विक्रीत, महाराष्ट्र कायदापरिसर, साकोली  
प. क्र. ०३/९८ सो. क्र. १२०३००३

ही कारणासाठी ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणासाठी  
मुद्रांक खरेदी केल्यासून ६ महिन्यात शक्यतो बंधनकारक आहे.

- २ -

- Trust name **Abhinav Shikshan Santha, Sendurwafa Ta- Sakoli Dist- Bhandara**, with objective to spread & promote. Education for the girls of the rural and urban area of **Bhandara District**. Trust **Abhinav Shikshan Sanstha, Sendurwafa Ta- Sakoli- Dist- Bhandara**, intends to run college for nursing education ( Program name – **B. B. Sc. Nursing**), to be affiliated with **MUHS, Nashik** to provide nursing education and training to the students in the area.
- The Philosophy behind the establishment of college name **Geetai Nursing College Sendurwafa/Sakoli** is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skill in their professional function & to include right type of professional attitude | them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
- The part No. 1 executed this agreement by **Dr. Wasudeo Mahadeorao Lanje, Preident of Abhinav Shikshan Sanstha, Sendurwafa Ta- Sakoli Dist- Bhandara, age 72 years residing at Sendurwafa / Sakoli, Dist – Bhandara.**
- The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Bhandara and adjoining area by providing various medical facilities to the public at large.
- The Party No. 2 executed this agreement through its Party No. 02 Name Now therefore both the parties 1 and 2 agree for:
- THAT Party No. 1 is applying for **B. B. Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.**
- THAT Party No. 2 is having **50 bedded** hospitals with more than **75% Occupancy.**
- THAT Party No. 1 has requested to Party No. 2 for providing their hospital for clinical experience and practical Training of Nursing Students.
- THAT Party No. 2 has agreed to provide their hospital For clinical experience of nursing students.
- THAT Party No. 2 has agreed to provide the facility for years from today onward it can be renewed after mutual agreement.



Place :- Bhandara

*Wary*  
Sign

Date :-

Dr. Wasudeo Mahadeorao Lanje  
President

Abhinav Shikshan Sanstha,

Sendurwafa Ta- Sakoli,  
Dist - Bhandara ,



Witness




*Gopal Vyas*  
Sign  
*DR Gopal Vyas*

**Dr. GOPAL VYAS**  
M.B.B.S., D.Ortho  
Reg. No. 82611

1.

2.



Executed & Signed  
Before Me

*Am*  
03.11.2023

ADV. A. P. PARSHURAMKAR  
NOTARY  
REGD. NO. 997  
LAKHANDUR/SAKOLI  
DIST. BHANDARA

Notarial Reg.  
Entry No 1017 ....  
Date 03.11.2023



*Wary*

अध्यक्ष  
अभिनव शिक्षण संस्था सेंदुरवाफा  
रजि. नं. F-5987 (B.)



महाराष्ट्र शासन  
आरोग्य सेवा  
जिल्हा शल्य चिकित्सक  
जिल्हा रुग्णालय भंडारा

Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949  
(नियम ५ अन्वये) (Under Rule 5)

जा. क्र. /जि.रु.भ./बॉनर.भ./नो.प्र./ १५१५/२०२३  
जिल्हा शल्यचिकित्सक कार्यालय, भंडारा  
दिनांक १ JAN 2023

This is to certify that Mr/Mrs. Dr. Gopal Satyanarayan Vyas and Dr. Jaya Gopal Vyas, Partner has been registered under the Bombay Nursing Homes registration Act, 1949 in respect of Laxmi Hospital situated at Takiya Ward, Nagpur Road, Bhandara and has been authorized to carry on the said Nursing Home and Maternity Home.

रजिस्ट्रेशन क्र. :- DHB/BNHA/008/14	प्रसूतिसाठी	बॉट्स १०
Registration No :- DHB/BNHA/008/14	Maternity	Cots 10
रजिस्ट्रेशन दि. :- १५/०५/२०२३	इतर रुग्णांसाठी	बॉट्स ४०
Date of Registration :- 15/05/2014	Other Nursing Patients	Cots 40
Date of Renewal :- 01/04/2022	Total	Cots 50
ठिकाण :- भंडारा		

Place :- Bhandara


Date of issue of Certificate 01<sup>st</sup> April 2022

सर्वदखे सर्टिफिकेट दिनांक ३१ मार्च २०२५ पर्यंत कार्यवाहीत राहील.

This Certificate shall be valid up to 31<sup>st</sup> March 2025



जिल्हा शल्य चिकित्सक ३१/०१/२०२३  
जिल्हा शल्यचिकित्सक कार्यालय  
General Hospital Bhandara



टिप : आज दि. ३१.०१.२०२३ रोजी नविन Director चे नांव जोडण्यात आलेले आहे.

Dr. GOPAL VYAS  
M.B.B.S., D.Ortho  
Reg. No. 83611

अध्यक्ष  
अभिनव शिक्षण संस्था  
रजि. नं. १२५

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308  
Fax: 0712 - 2560851  
Website: <http://mpcb.gov.in>  
Email: [ronagpur@mpcb.gov.in](mailto:ronagpur@mpcb.gov.in)



Udyog Bhavan , 6th floor ,  
Near Sales Tax Office, Civil  
Line , Nagpur - 440 001

ORANGE/M.S.I

No:- Format1.0/RO/UAN No.0000157121/CO/2303000033

Date: 01/03/2023

To,  
M/s. Laksh Hospital.,  
Takiya Ward, Nagpur Road, Bhandara Tq & Dist.  
Bhandara -441904.  
Email:[drgopalvyas@gmail.com](mailto:drgopalvyas@gmail.com)  
Contact No.:9422130241



Your Service is Our  
Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

**Ref:** Bio-Medical Waste Authorization granted by the Board vide no. RO-NAGPUR/BMW\_Auth/ 2002000199 dtd 11/02/2020.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From 01/12/2021 to 01/12/2025.
2. The capital investment of the HCF is ₹1171.45 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 743.00 M<sup>2</sup> with Built-up area 650.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. DHBBNHA00814 valid upto 31-03-2025)
    - I. General Beds : **40 Nos**
    - II. Maternity Beds : **10 Nos**

5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 2.00 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. **Conditions under the Air (P&CP) Act, 1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	NA

8. **Conditions under Solid Waste Management rules 2016**


1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste In HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.0 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



02062523  
7724c426  
8029de67  
5e3892c2  
1def5fb8  
90b08eed  
66d0d5a3  
2453ec1c

Signed by: Ashok M. Karas  
Regional Officer  
For and on behalf of,  
Maharashtra Pollution Control Board  
ronagpur@mpcb.gov.in  
2023-03-01 15:27:01 IST

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	152500.00	TXN2212003687	28/12/2022	Online Payment
2	159452.05	TXN2302004120	24/02/2023	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Bhandara  
- - They are directed to ensure the compliance of the consent conditions.  
SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

### Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

#### A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

#### B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1.0	As per clause 'C'	On Land for Gardening
2	Trade effluent	0	As per clause 'C'	NA

#### C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**SCHEDULE-I**

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**  
 The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in the categories and quantities listed here in below:

Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal	
1	a) Human Anatomical waste	5.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur	
	b) Animal Anatomical Waste	0.00			
	c) Soiled Waste	50.00			
	d) Expired or Discarded Medicines	0.00			
	e) Chemical Waste	11.00			
	f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.		
	g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.		
	h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.		Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	1:00	Red coloured non-chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	14.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body Implants	0.00		

*Handwritten signature*

## SCHEDULE-II

### **Responsibilities of the Health Care Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**SCHEDULE-III****Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
<b>2</b>	<b>Performance</b>		
1	To provide BMW separate storage facility as per guidelines of CPCB.	Six Month	25,000.00.
<b>Total</b>			<b>1,00,000.00</b>

**Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.**